

CERTIFICATE OF ANALYSIS



Customer: Best Wellness
2701 NW 29th Terrace,
Lauderdale Lakes, FL
33311

Batch #: D8B0112
Laboratory Number: ATL-9133

Report Issue Date: 09/19/2023
Order Date: 09/16/2023
Analysis Date: 09/19/2023

Sample Description:
D8 Tincture Mint 1200mg



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 30ml / Tincture

Hernan Prieto
Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%	Analyte	LOQ (mg/g)	Results mg/bottle	%
CBDV-A	<0.06	0	0	THCV-A	<0.06	0	0	9S-HHC	<0.01	0	0
CBDV	<0.03	0	0	CBN	<0.03	0	0	CBC	<0.06	0	0
CBD-A	<0.03	0	0	D9-THC	<0.03	0	0	CBC-A	<0.03	0	0
CBG-A	<0.03	0	0	D8-THC	<0.03	1235.70	4.12	THC-A	<0.03	0	0
CBG	<0.02	0	0	9R-D10-THC	<0.02	0	0	D9-THCP	<0.03	0	0
CBD	<0.01	0	0	9S-D10-THC	<0.02	0	0	D9-THCO	<0.02	0	0
THCV	<0.01	0	0	9R-HHC	<0.01	0	0				

Max Active THC mg/bottle %
0 0

Total Active Cannabinoids mg/bottle %
1235.70 4.12

Max Active CBD mg/bottle %
0 0

Total Cannabinoids mg/bottle %
1235.70 4.12

NOTES

Blank area for notes.

Cannabidiol(CBD) Cannabidiol(VA) Cannabidiol(BDVA) Cannabidiol(BDVA) Cannabidiol(BDVA) Cannabidiol(BDVA) Cannabidiol(BDVA)
Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)
9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)
Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)