

CERTIFICATE OF ANALYSIS



Customer: Sweet Lyfe
3017 Greene St
Hollywood, FL 33020

Batch #: SLBJ1123
Laboratory Number: ATL-18507

Report Issue Date: 2/28/2024
Order Date: 2/9/2024
Analysis Date: 2/13/2024

Sample Description:

Sweet baby joints 0.5g - sherblato



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 0.5g / Pre Roll

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	10.185	2.037
CBG-A	<0.008	0.240	0.048
CBG	<0.007	<LOQ	<LOQ
CBD	<0.008	3.360	0.672
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	0.385	0.077
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/preroll	%
CBC	<0.009	0.285	0.057
CBC-A	<0.005	0.535	0.107
THC-A	<0.005	2.890	0.578

Max Active THC	mg/preroll	%
	2.92	0.58

Total Active Cannabinoids	mg/preroll	%
	16.18	3.24

Max Active CBD	mg/preroll	%
	12.29	2.46

Total Cannabinoids	mg/preroll	%
	17.88	3.58

NOTES

Cannabidiol (CBD) Cannabidiol Acid (CBDA) Cannabigerol (CBG) Cannabigerol Acid (CBGA) Cannabivarin (CBDV) Cannabivarin Acid (CBDVA) Tetrahydrocannabinol (THC) Tetrahydrocannabinol Acid (THCA) Tetrahydrocannabinol (9R-D10-THC) Tetrahydrocannabinol (9S-D10-THC) Cannabichromene (CBC) Cannabichromene Acid (CBCA) Tetrahydrocannabinolic Acid (THCA)



Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)