

Cookies Dual Chamber 2ml

Sample ID: 2506AFL1087.4569
Strain: Mexican Flan/Cheetah Piss
Matrix: Other
Type: Other
Unit Weight: 2 g

Internal Lab ID: ATL-30283
Received: 06/20/2025
Completed: 07/14/2025
Batch#: 1F01MC3

Client
CKSHD LLC
Lic. #
105 AKRON DR
WISTON SALEM, NC 27150

Client Notes
Manufactured by:
Biominales Pharma LLC
Lic. Hemp# 424832
2751 Commerce center,
Pembroke Park, FL 33023



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/23/2025	Complete
Residual Solvents	06/25/2025	Pass
Microbials	07/01/2025	Pass
Mycotoxins	06/25/2025	Pass
Pesticides	06/25/2025	Pass
Heavy Metals	06/30/2025	Pass
Foreign Matter	07/01/2025	Pass

Basic Potency

Complete

0.24% Total THC	ND Total CBD	83.66% Total Cannabinoids
---------------------------	------------------------	-------------------------------------

Analyte	LOQ	Result	Result	Analyte	LOQ	Result	Result
	%	%	mg/unit		%	%	mg/unit
CBDVa	0.02	ND	ND	9S-HHC	0.03	ND	ND
CBDV	0.02	ND	ND	9R-HHC	0.03	ND	ND
CBDa	0.02	ND	ND	Δ9-THCH	0.02	ND	ND
CBGa	0.02	ND	ND	Δ8-THCH	0.02	ND	ND
CBG	0.02	ND	ND	Δ9-THCP	0.02	6.64	132.7
CBD	0.02	ND	ND	Δ8-THCP	0.02	ND	ND
THCV	0.02	ND	ND	Δ8-THCO	0.02	ND	ND
Δ8-THCV	0.02	ND	ND	Δ9-THCO	0.02	ND	ND
THCVa	0.02	ND	ND	9(S)-HHCP	0.02	ND	ND
CBN	0.02	2.73	54.6	9(R)-HHCP	0.02	ND	ND
Δ9-THC	0.02	ND	ND	11-Hydroxy-THC	0.02	ND	ND
Δ8-THC	0.02	74.02	1480.4	1(S)-H4-CBD	0.02	ND	ND
(6aR,9S)-d10-THC	0.02	ND	ND	1(R)-H4-CBD	0.02	ND	ND
(6aR,9R)-d10-THC	0.02	ND	ND	Δ9-THCB	0.02	ND	ND
CBC	0.02	ND	ND	Δ8-THCB	0.02	ND	ND
CBCa	0.02	ND	ND	CBDp	0.02	ND	ND
THCa	0.02	0.28	5.5	Total		83.66	1673.3

Document ID: ATL-225, Rev 06, Effective Date: 18 March 2025

Date Tested: 06/23/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDa) ISO/IEC 17025:2017 Certificate No:L24-608

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Pass Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3 Foreign Matter
--	--	---



Paulo Gonzalez
Laboratory Director
07/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017. The manufacturer meets the sanitation requirements.



Cookies Dual Chamber 2ml

Sample ID: 2506AFL1087.4569
Strain: Mexican Flan/Cheetah Piss
Matrix: Other
Type: Other
Unit Weight: 2 g

Internal Lab ID: ATL-30283
Received: 06/20/2025
Completed: 07/14/2025
Batch#: 1F01MC3

Client
CKSHD LLC
Lic. #
105 AKRON DR
WISTON SALEM, NC 27150

Client Notes
Manufactured by:
Biominerals Pharma LLC
Lic. Hemp# 424832
2751 Commerce center,
Pembroke Park, FL 33023

Pesticides

Pass

Analyte	Limit	Result	Status	Analyte	Limit	Result	Status
	PPB	PPB			PPB	PPB	
Abamectin	100.0	ND	Pass	Fludioxonil	100.0	ND	Pass
Acephate	100.0	ND	Pass	Hexythiazox	100.0	ND	Pass
Acequinocyl	100.0	ND	Pass	Imazalil	100.0	ND	Pass
Acetamiprid	100.0	ND	Pass	Imidacloprid	400.0	ND	Pass
Aldicarb	100.0	ND	Pass	Kresoxim Methyl	100.0	ND	Pass
Azoxystrobin	100.0	ND	Pass	Malathion	200.0	ND	Pass
Bifenazate	100.0	ND	Pass	Metalaxyl	100.0	ND	Pass
Bifenthrin	100.0	6.567	Pass	Methiocarb	100.0	ND	Pass
Boscalid	100.0	ND	Pass	Methomyl	100.0	ND	Pass
Captan	700.0	ND	Pass	Mevinphos	100.0	ND	Pass
Carbaryl	500.0	ND	Pass	Myclobutanil		ND	Tested
Carbofuran	100.0	ND	Pass	Naled	250.00	ND	Pass
Chlorantraniliprole	1000	ND	Pass	Oxamyl	500.0	ND	Pass
Chlordane	100.0	ND	Pass	Pacllobutrazol	100.0	ND	Pass
Chlorfenapyr	100.0	ND	Pass	Parathion Methyl	100.0	ND	Pass
Chlormequat chloride	1000	ND	Pass	Pentachloronitrobenzene	150.00	ND	Pass
Chlorpyrifos	100.0	ND	Pass	Permethrin	100.0	ND	Pass
Clofentezine	200.0	ND	Pass	Phosmet	100.0	ND	Pass
Coumaphos	100.0	ND	Pass	Piperonyl Butoxide	3000	ND	Pass
Cyfluthrin	500.0	ND	Pass	Prallethrin	100.0	ND	Pass
Cypermethrin	500.0	ND	Pass	Propiconazole	100.0	ND	Pass
Daminozide	100.0	ND	Pass	Propoxur	100.0	ND	Pass
Diazinon	100.0	ND	Pass	Pyrethrins	500.0	ND	Pass
Dichlorvos	100.0	ND	Pass	Pyridaben	200.0	ND	Pass
Dimethoate	100.0	ND	Pass	Spinetoram	200.0	ND	Pass
Dimethomorph	200.0	ND	Pass	Spinosad	100.0	ND	Pass
Ethoprophos	100.0	ND	Pass	Spiromesifen	100.0	ND	Pass
Etofenprox	100.0	ND	Pass	Spirotetramat	100.0	ND	Pass
Etoxazole	100.0	ND	Pass	Spiroxamine	100.0	ND	Pass
Fenhexamid	100.0	ND	Pass	Tebuconazole	100.0	ND	Pass
Fenoxycarb	100.0	ND	Pass	Thiacloprid	100.0	ND	Pass
Fenpyroximate	100.0	ND	Pass	Thiamethoxam	500.0	ND	Pass
Fipronil	100.0	ND	Pass	Trifloxystrobin	100.0	ND	Pass
Fonicamid	100.0	ND	Pass				

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 06/25/2025
Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.
This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.
The manufacturer meets the sanitation requirements.



Cookies Dual Chamber 2ml

Sample ID: 2506AFL1087.4569	Internal Lab ID: ATL-30283	Client CKSHD LLC	Client Notes Manufactured by: Biominerals Pharma LLC
Strain: Mexican Flan/Cheetah Piss	Received: 06/20/2025	Lic. #	Lic. Hemp# 424832
Matrix: Other	Completed: 07/14/2025	105 AKRON DR	2751 Commerce center,
Type: Other	Batch#: 1F01MC3	WISTON SALEM, NC 27150	Pembroke Park, FL 33023
Unit Weight: 2 g			

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Total Aerobic Count	10		NR	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1	1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria			NR	NT
Shiga toxin-producing E. Coli	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Staphylococcus aureus	10		NR	NT
Total Combined Yeast and Mold	10	100000	ND	Pass

Document ID: ATL-235, Rev 02, Effective Date: 18 March 2025
Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-002 and ATL-PHI-004.

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3

Date Tested: 07/01/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020. Measures of uncertainty are considered when deciding PASS/FAIL results. Analysis Method: ATL-PHI-001

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Arsenic	0.1	1.5	ND	Pass
Cadmium	0.1	0.5	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	3	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: NA

Date Tested: 06/30/2025

Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

Paulo Gonzalez
Laboratory Director

07/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017. The manufacturer meets the sanitation requirements.



Cookies Dual Chamber 2ml

Sample ID: 2506AFL1087.4569
Strain: Mexican Flan/Cheetah Piss
Matrix: Other
Type: Other
Unit Weight: 2 g

Internal Lab ID: ATL-30283
Received: 06/20/2025
Completed: 07/14/2025
Batch#: 1F01MC3

Client
CKSHD LLC
Lic. #
105 AKRON DR
WISTON SALEM, NC 27150

Client Notes
Manufactured by:
Biominerals Pharma LLC
Lic. Hemp# 424832
2751 Commerce center,
Pembroke Park, FL 33023

Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status	Analyte	LOQ	Limit	Result	Status
1,1 Dichloroethene	0.7	8	ND	Pass	Ethylene Oxide	0.4	5	ND	Pass
Ethylene Dichloride	0.2	2	ND	Pass	Heptane	40	5000	ND	Pass
1,4-Dioxane			ND	Tested	Hexanes		250	ND	Pass
2,2-Dimethyl-Butane			ND	Tested	Isobutane			ND	Tested
2,3-Dimethyl-Butane			ND	Tested	Isopentane			ND	Tested
2-Butanol			ND	Tested	Isopropanol	40	500	ND	Pass
2-Ethoxy-Ethanol			ND	Tested	Isopropyl-Acetate			ND	Tested
2-Methyl-Pentane			ND	Tested	m+p Xylene			ND	Tested
3-Methyl-Pentane			ND	Tested	Methanol	20	250	ND	Pass
Acetone	59	750	<59,000	Pass	Methylene Chloride	10	125	<10,000	Pass
Acetonitrile	5	60	ND	Pass	Butane	71		ND	Tested
Benzene	0.08	1	ND	Pass	Hexane	5		ND	Tested
Butanes		5000	ND	Pass	Pentane	59		ND	Tested
Chloroform	0.2	2	ND	Pass	Neopentane			ND	Tested
Cumene			ND	Tested	o-Xylene			ND	Tested
Cyclohexane			ND	Tested	Pentanes		750	ND	Pass
Ethanol	79	5000	ND	Pass	Propane	165	5000	ND	Pass
Ethyl Acetate	20	400	ND	Pass	Tetrahydrofuran			ND	Tested
Ethyl-Benzene			ND	Tested	Toluene	12	150	ND	Pass
Ethyl Ether	40	500	ND	Pass	Trichloroethene	2	25	ND	Pass
Ethylene Glycol			ND	Tested	Xylenes	12	150	ND	Pass



Document ID: ATL-230, Rev 02, Effective Date: 18 March 2025

Date Tested: 06/25/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c); Expanded uncertainty = ±25% considered for PASS/FAIL; Test Method ATL-GCM-001



Paulo Gonzalez
Laboratory Director

07/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017. The manufacturer meets the sanitation requirements.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309


(954) 515-0200
http://accuratetestlab.com

Cookies Dual Chamber 2ml

Sample ID: 2506AFL1087.4569	Internal Lab ID: ATL-30283	Client	Client Notes
Strain: Mexican Flan/Cheetah Piss	Received: 06/20/2025	CKSHD LLC	Manufactured by:
Matrix: Other	Completed: 07/14/2025	Lic. #	Biominales Pharma LLC
Type: Other	Batch#: 1F01MC3	105 AKRON DR	Lic. Hemp# 424832
Unit Weight: 2 g		WISTON SALEM, NC 27150	2751 Commerce center, Pembroke Park, FL 33023

Mycotoxins

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0226	0.0528		ND	Tested
B2	0.0329	0.0768		ND	Tested
G1	0.0046	0.0107		ND	Tested
G2	0.0108	0.0252		ND	Tested
Ochratoxin A	0.0259	0.0604	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 06/25/2025



Paulo Gonzalez
Laboratory Director
07/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.
This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.
The manufacturer meets the sanitation requirements.