



## Certificate of Analysis

### Compliance Test

#### Client Information:

TRE House

Batch # THMG-SG23  
Batch Date: 2025-12-03  
Extracted From: NONE  
Sampling Date: 2026-01-08  
Lab Batch Date: 2026-01-08  
Orig. Completion Date: 2026-01-26

Initial Gross Weight: 62.600 g

Number of Units: 1  
Net Weight per Package: 55000.000 mg  
Sampling Method: MSP 7.3.1

Order # TRE260106-010013  
Order Date: 2026-01-06  
Sample # AAHH832  
Serving Number: 1.00000

Statement of Amendment: Updated Client Address



DMT Panel  
Tested



#### DMT Panel \*

Specimen Weight: 5.705 g

Tested  
SOP-002 (Agilent HPLC-DAD)

Dilution Factor: 40.000

| Analyte            | LOQ (%)     | Result (mg/g) | Analyte                      | LOQ (%)     | Result (mg/g) |
|--------------------|-------------|---------------|------------------------------|-------------|---------------|
| 4-AcO-DMT          | 0.00012332  | <LOQ          | Bufotenine                   | 7.012E-6    | <LOQ          |
| 4-AcO-MET          | 0.000124238 | <LOQ          | N,N-Dimethyltryptamine (DMT) | 0.000119806 | <LOQ          |
| 4-hydroxy DET      | 0.000118435 | <LOQ          | N-NMT                        | 7.012E-6    | <LOQ          |
| 4-propanoyloxy DMT | 0.000123256 | <LOQ          | Tryptamine                   | 7.012E-6    | <LOQ          |
| 5-MeO-DMT          | 7.012E-6    | <LOQ          | Tryptophan                   | 7.012E-6    | <LOQ          |
| Adenosine          | 7.012E-6    | <LOQ          |                              |             |               |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity The results apply to the sample as received. Please note that the analysis and sample image were conducted by an external laboratory. All test results are included in this COA for your reference. External testing COA is available upon request. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



## Certificate of Analysis

Compliance Test

Client Information:  
**TRE House**

Batch # THMG-SG23  
Batch Date: 2025-12-03  
Extracted From: NONE  
Sampling Date: 2025-12-19  
Lab Batch Date: 2025-12-19  
Orig. Completion Date: 2025-12-30

Initial Gross Weight: 62.600 g

Number of Units: 1  
Net Weight per Package: 55000.000 mg  
Sampling Method: MSP 7.3.1

Order # TRE251217-150001  
Order Date: 2025-12-17  
Sample # AAHH076  
Serving Number: 10.00000

Statement of Amendment: Updated Batch#; Removed Client Address



Amanita Muscaria  
**Tested**



Psilocin  
**Tested**



Psilocybin  
**Tested**



Pathogenic Microbiology  
**Passed**



Heavy Metals  
**Passed**



Mycotoxins  
**Passed**



Pesticides  
**Passed**



Residual Solvents  
**Passed**



### Amanita Analytes

Specimen Weight: 5032.300 mg

Tested

SOP 13.058 (LCMS)

### Mushroom Potency Summary

Pieces For Panel: 6

| Analyte                            | LOD (%)  | LOQ (%) | Result (mg/g) | (%)  |
|------------------------------------|----------|---------|---------------|------|
| Ibotenic acid                      | 1.13E-05 | 5.21E-5 | <LOQ          | <LOQ |
| Muscarine                          | 3.65E-06 | 1.3E-5  | <LOQ          | <LOQ |
| Muscimol                           | 8.81E-06 | 5.21E-5 | <LOQ          | <LOQ |
| Total Amanita Analytes per Package |          |         | -             | -    |

Prep. By: 1260 Date: 2025-12-20 18:12:11 Analyzed By: 1264 Date: 2025-12-20 14:33:57

Reviewed By: 1234 Date: 2025-12-29 16:58:51 Lab Batch #: AAHH076-415 Date: 2025-12-29 16:58:51



### Psilocybe Mushroom Analytes

Specimen Weight: 403.300 mg

Tested

SOP 13.058 (LCMS)

Pieces For Panel: 6

| Analyte                                       | LOQ (%)  | Result (mg/g) | (%)  |
|-----------------------------------------------|----------|---------------|------|
| psilocybin                                    | 0.000375 | <LOQ          | <LOQ |
| baeocystin                                    | 0.000225 | <LOQ          | <LOQ |
| psilocin                                      | 0.00015  | <LOQ          | <LOQ |
| norbaeocystin                                 | 0.000253 | <LOQ          | <LOQ |
| norpsilocin                                   | 4.5E-5   | <LOQ          | <LOQ |
| aeruginascin                                  | 6.0E-5   | <LOQ          | <LOQ |
| 4-hydroxy TMT                                 | 2.38E-5  | <LOQ          | <LOQ |
| 4-hydroxytryptamine                           | 5.65E-5  | <LOQ          | <LOQ |
| harmone                                       | 9.38E-5  | <LOQ          | <LOQ |
| harmine                                       | 5.63E-5  | <LOQ          | <LOQ |
| Total Psilocybin + Psilocin per Package       |          | -             | -    |
| Total Psilocybe Mushroom Analytes per Package |          | -             | -    |

Prep. By: 1260 Date: 2025-12-20 18:12:36 Analyzed By: 1264 Date: 2025-12-20 14:47:32

Reviewed By: 1234 Date: 2025-12-28 14:46:22 Lab Batch #: AAHH076-371 Date: 2025-12-28 14:46:22

Aixa Sun

Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity. ACS uses simple acceptance criteria for contaminant panels. Passed – contaminant analytes/microbes are not detected or are at the level below the action limit per FL rule 5K-4.034. Failed – contaminant analytes/microbes are at the level that is equal to or above the action limit per FL rule 5K-4.034. Client supplied the net weight of mg. The results apply to the sample as received. Revised report- see statement of amendment above.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



## Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THMG-SG23  
Batch Date: 2025-12-03  
Extracted From: NONE  
Sampling Date: 2025-12-19  
Lab Batch Date: 2025-12-19  
Orig. Completion Date: 2025-12-30

Initial Gross Weight: 62.600 g

Number of Units: 1  
Net Weight per Package: 55000.000 mg  
Sampling Method: MSP 7.3.1

Order # TRE251217-150001  
Order Date: 2025-12-17  
Sample # AAHH076  
Serving Number: 10.00000

**Microbiology Pathogenic SAE Microarray \***  
Specimen Weight: 1028.000 mg

**Passed**  
SOP13.019 (Micro Array)

Dilution Factor: 1.000

| Analyte                                         | Result (cfu/g) | Analyte    | Result (cfu/g) |
|-------------------------------------------------|----------------|------------|----------------|
| Aspergillus (Flavus, Fumigatus, Niger, Terreus) | Passed         | Salmonella | Passed         |
| Escherichia coli specific gene                  | Passed         |            |                |

Prep. By: 1161 Date: 2025-12-20 09:47:46

Analyzed By: 1161 Date: 2025-12-20 09:47:46

Reviewed By: 1035 Date: 2025-12-21 16:22:39

Lab Batch #: AAHH076-367 Date: 2025-12-21 16:22:39

**Heavy Metals Florida \***  
Specimen Weight: 245.900 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 203.335

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 0.013     | 100       | 1500               | <LOQ         | Lead (Pb)    | 0.007     | 100       | 500                | <LOQ         |
| Cadmium (Cd) | 0.003     | 100       | 500                | <LOQ         | Mercury (Hg) | 0.016     | 100       | 3000               | <LOQ         |

Prep. By: 1204 Date: 2025-12-18 19:21:01

Analyzed By: 1204 Date: 2025-12-19 19:21:01

Reviewed By: 1204 Date: 2025-12-21 10:14:17

Lab Batch #: AAHH076-593 Date: 2025-12-21 10:14:17

**Mycotoxins FL \***  
Specimen Weight: 581.700 mg

**Passed**  
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.580

| Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte      | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Aflatoxin B1 | 3.0400E-1 | 4.9       | 20                 | <LOQ         | Aflatoxin G2 | 2.7100E-1 | 4.9       | 20                 | <LOQ         |
| Aflatoxin B2 | 7.7000E-2 | 4.9       | 20                 | <LOQ         | Ochratoxin A | 7.5400E-1 | 9.8       | 20                 | <LOQ         |
| Aflatoxin G1 | 3.0400E-1 | 4.9       | 20                 | <LOQ         |              |           |           |                    |              |

Prep. By: 1256 Date: 2025-12-19 14:49:01

Analyzed By: 1256 Date: 2025-12-19 14:49:01

Reviewed By: 1222 Date: 2025-12-21 16:09:00

Lab Batch #: AAHH076-616 Date: 2025-12-21 16:09:00

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





## Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THMG-SG23  
Batch Date: 2025-12-03  
Extracted From: NONE  
Sampling Date: 2025-12-19  
Lab Batch Date: 2025-12-19  
Orig. Completion Date: 2025-12-30

Initial Gross Weight: 62.600 g

Number of Units: 1  
Net Weight per Package: 55000.000 mg  
Sampling Method: MSP 7.3.1

Order # TRE251217-150001  
Order Date: 2025-12-17  
Sample # AAHH076  
Serving Number: 10.00000



### Residual Solvents – FL \*

Specimen Weight: 16.000 mg

**Passed**  
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.009     | 0.132     | 8                  | <LOQ         | Heptane            | 0.001     | 8         | 5000               | <LOQ         |
| 1,2-Dichloroethane | 0.000     | 0.032     | 2                  | <LOQ         | Hexane             | 0.068     | 0.8       | 250                | <LOQ         |
| Acetone            | 0.015     | 12        | 750                | <LOQ         | Isopropyl alcohol  | 0.005     | 8         | 500                | <LOQ         |
| Acetonitrile       | 0.060     | 0.96      | 60                 | <LOQ         | Methanol           | 0.001     | 4         | 250                | 23.4         |
| Benzene            | 0.000     | 0.016     | 1                  | <LOQ         | Methylene chloride | 0.003     | 2         | 125                | <LOQ         |
| Butanes            | 0.417     | 13.32     | 5000               | <LOQ         | Pentane            | 0.037     | 12        | 750                | <LOQ         |
| Chloroform         | 0.000     | 0.032     | 2                  | <LOQ         | Propane            | 0.031     | 26.668    | 5000               | <LOQ         |
| Ethanol            | 0.002     | 16        | 5000               | 28.9         | Toluene            | 0.001     | 2.4       | 150                | <LOQ         |
| Ethyl Acetate      | 0.001     | 6.4       | 400                | <LOQ         | Total Xylenes      | 0.000     | 7.2       | 150                | <LOQ         |
| Ethyl Ether        | 0.005     | 8         | 500                | <LOQ         | Trichloroethylene  | 0.001     | 0.4       | 25                 | <LOQ         |
| Ethylene Oxide     | 0.004     | 0.32      | 5                  | <LOQ         |                    |           |           |                    |              |

Prep. By: 1051

Date: 2025-12-19 13:56:30

Analyzed By: 1208

Date: 2025-12-19 13:56:30

Reviewed By: 1208

Date: 2025-12-20 12:46:29

Lab Batch #: AAHH076-55

Date: 2025-12-20 12:46:29

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





## Certificate of Analysis

Compliance Test

Client Information:

TRE House

Batch # THMG-SG23  
Batch Date: 2025-12-03  
Extracted From: NONE  
Sampling Date: 2025-12-19  
Lab Batch Date: 2025-12-19  
Orig. Completion Date: 2025-12-30

Order # TRE251217-150001  
Order Date: 2025-12-17  
Sample # AAHH076  
Serving Number: 10.00000

Initial Gross Weight: 62.600 g

Number of Units: 1  
Net Weight per Package: 55000.000 mg  
Sampling Method: MSP 7.3.1



Pesticides \*

Specimen Weight: 581.700 mg

Passed  
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.580

| Analyte              | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) | Analyte                 | LOD (ppb) | LOQ (ppb) | Action Level (ppb) | Result (ppb) |
|----------------------|-----------|-----------|--------------------|--------------|-------------------------|-----------|-----------|--------------------|--------------|
| Abamectin            | 3.9900E-1 | 23.3      | 300                | <LOQ         | Fludioxonil             | 3.6000E-1 | 24.8      | 3000               | <LOQ         |
| Acephate             | 1.4100E-1 | 24.8      | 3000               | <LOQ         | Hexythiazox             | 1.1300E-1 | 24.8      | 2000               | <LOQ         |
| Acequinocyl          | 2.1780E+0 | 24.8      | 2000               | <LOQ         | Imazalil                | 2.5800E-1 | 24.8      | 100                | <LOQ         |
| Acetamiprid          | 1.4000E-1 | 24.8      | 3000               | <LOQ         | Imidacloprid            | 4.0200E-1 | 24.8      | 3000               | <LOQ         |
| Aldicarb             | 2.0300E-1 | 24.8      | 100                | <LOQ         | Kresoxim Methyl         | 1.8200E-1 | 24.8      | 1000               | <LOQ         |
| Azoxystrobin         | 1.8800E-1 | 24.8      | 3000               | <LOQ         | Malathion               | 2.2300E-1 | 24.8      | 2000               | <LOQ         |
| Bifenazate           | 8.6000E-2 | 24.8      | 3000               | <LOQ         | Metalaxyl               | 2.7000E-1 | 24.8      | 3000               | <LOQ         |
| Bifenthrin           | 1.0000E-1 | 24.8      | 500                | <LOQ         | Methiocarb              | 1.1800E-1 | 24.8      | 100                | <LOQ         |
| Boscalid             | 5.9500E-1 | 24.8      | 3000               | <LOQ         | Methomyl                | 6.4000E-2 | 24.8      | 100                | <LOQ         |
| Captan               | 1.8500E+0 | 323       | 3000               | <LOQ         | methyl-Parathion        | 8.2000E-1 | 24.8      | 100                | <LOQ         |
| Carbaryl             | 1.2200E-1 | 24.8      | 500                | <LOQ         | Mevinphos               | 9.3000E-2 | 24.8      | 100                | <LOQ         |
| Carbofuran           | 8.6000E-2 | 24.8      | 100                | <LOQ         | Myclobutanil            | 5.7300E-1 | 24.8      | 3000               | <LOQ         |
| Chlorantraniliprole  | 8.4000E-2 | 24.8      | 3000               | <LOQ         | Naled                   | 6.9000E-2 | 24.8      | 500                | <LOQ         |
| Chlordane            | 1.4100E+0 | 24.8      | 100                | <LOQ         | Oxamyl                  | 4.1000E-2 | 24.8      | 500                | <LOQ         |
| Chlorfenapyr         | 1.5000E+0 | 24.8      | 100                | <LOQ         | Paclobutrazol           | 1.8600E-1 | 24.8      | 100                | <LOQ         |
| Chlormequat Chloride | 2.0500E-1 | 24.8      | 3000               | <LOQ         | Pentachloronitrobenzene | 2.2000E-1 | 24.8      | 200                | <LOQ         |
| Chlorpyrifos         | 1.0900E-1 | 24.8      | 100                | <LOQ         | Permethrin              | 6.2400E-1 | 24.8      | 1000               | <LOQ         |
| Clofentezine         | 2.1200E-1 | 24.8      | 500                | <LOQ         | Phosmet                 | 1.2700E-1 | 24.8      | 200                | <LOQ         |
| Coumaphos            | 2.0600E-1 | 24.8      | 100                | <LOQ         | Piperonylbutoxide       | 1.4900E-1 | 24.8      | 3000               | <LOQ         |
| Cyfluthrin           | 9.8000E-1 | 24.8      | 1000               | <LOQ         | Prallethrin             | 1.4760E+0 | 24.8      | 400                | <LOQ         |
| Cypermethrin         | 9.8500E-1 | 24.8      | 1000               | <LOQ         | Propiconazole           | 2.9400E-1 | 24.8      | 1000               | <LOQ         |
| Daminozide           | 1.6550E+0 | 24.8      | 100                | <LOQ         | Propoxur                | 1.0000E-1 | 24.8      | 100                | <LOQ         |
| Diazinon             | 2.1200E-1 | 24.8      | 200                | <LOQ         | Pyrethrins              | 6.7000E-2 | 12.9      | 1000               | <LOQ         |
| Dichlorvos           | 1.1300E+0 | 24.8      | 100                | <LOQ         | Pyridaben               | 1.4000E-1 | 24.8      | 3000               | <LOQ         |
| Dimethoate           | 6.3000E-2 | 24.8      | 100                | <LOQ         | Spinetoram              | 4.2400E-1 | 24.8      | 3000               | <LOQ         |
| Dimethomorph         | 2.5810E+0 | 24.8      | 3000               | <LOQ         | Spinosad                | 2.8000E-2 | 24.8      | 3000               | <LOQ         |
| Ethoprophos          | 1.5100E-1 | 24.8      | 100                | <LOQ         | Spiromesifen            | 1.2000E-1 | 24.8      | 3000               | <LOQ         |
| Etofenprox           | 1.7200E-1 | 24.8      | 100                | <LOQ         | Spirotetramat           | 2.1100E-1 | 24.8      | 3000               | <LOQ         |
| Etoxazole            | 8.6600E-1 | 24.8      | 1500               | <LOQ         | Spiroxamine             | 5.3300E-1 | 24.8      | 100                | <LOQ         |
| Fenhexamid           | 5.8800E-1 | 24.8      | 3000               | <LOQ         | Tebuconazole            | 2.3000E-1 | 24.8      | 1000               | <LOQ         |
| Fenoxycarb           | 2.7400E-1 | 24.8      | 100                | <LOQ         | Thiacloprid             | 1.7000E-1 | 24.8      | 100                | <LOQ         |
| Fenpyroximate        | 1.9800E-1 | 24.8      | 2000               | <LOQ         | Thiamethoxam            | 1.7900E+2 | 24.8      | 1000               | <LOQ         |
| Fipronil             | 3.1700E-1 | 24.8      | 100                | <LOQ         | Trifloxystrobin         | 1.3400E-1 | 24.8      | 3000               | <LOQ         |
| Fonicamid            | 4.6600E-1 | 24.8      | 2000               | <LOQ         |                         |           |           |                    |              |

Prep. By: 1256

Date: 2025-12-19 14:49:01

Analyzed By: 1256


Date: 2025-12-19 14:49:01

Reviewed By: 1222

Date: 2025-12-21 16:09:00

Lab Batch #: AAHH076-202

Date: 2025-12-21 16:09:00

  
Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



PharmLabs San Diego [Certificate of Analysis](#)

Sample **TRE House - Extra Strength - Mushroom Gummies - THMG-SG23**



|                                        |                              |                              |                              |
|----------------------------------------|------------------------------|------------------------------|------------------------------|
| Sample ID <b>SD260116-046 (131605)</b> |                              | Matrix <b>Edible</b>         |                              |
| Tested for <b>TRE House</b>            |                              |                              |                              |
| Sampled <b>-</b>                       | Received <b>Jan 16, 2026</b> | Reported <b>Jan 16, 2026</b> |                              |
| Analyses executed <b>4AD, SDR</b>      | Unit Mass (g) <b>56.605</b>  | Num. of Servings <b>10</b>   | Serving Size (g) <b>5.66</b> |

4AD - 4AD Tryptamines

Analyzed **Jan 16, 2026** | Instrument **HPLC VWD** | Method **SOP-4AD**  
The expanded Uncertainty of the 4AD Tryptamines analysis is approximately  $\pm 7.81\%$  at the 95% Confidence Level

| Analyte                      | LOD ppm | LOQ ppm | Result % | Result mg/g | Result mg/Serving | Result mg/Unit | Sample photography |
|------------------------------|---------|---------|----------|-------------|-------------------|----------------|--------------------|
| Mescaline (MESC)             | 0.19    | 0.584   | ND       | ND          | ND                | ND             |                    |
| N-methyl Tryptamine (NMT)    | 0.004   | 0.013   | ND       | ND          | ND                | ND             |                    |
| 4-Hydroxy-MET (4-HO-MET)     | 0.013   | 0.04    | ND       | ND          | ND                | ND             |                    |
| n,n Dimethyltryptamine (DMT) | 0.015   | 0.048   | ND       | ND          | ND                | ND             |                    |
| Psilocetin (PSLA)            | 0.015   | 0.044   | ND       | ND          | ND                | ND             |                    |
| 4-Hydroxy-DET (4-HO-DET)     | 0.014   | 0.042   | ND       | ND          | ND                | ND             |                    |
| 4-Acetoxy-MET (4-AcO-MET)    | 0.018   | 0.053   | ND       | ND          | ND                | ND             |                    |
| 4-Acetoxy-DET (4-AcO-DET)    | 0.004   | 0.011   | ND       | ND          | ND                | ND             |                    |
| 4-Bromo-DMP (2C-B)           | 0.19    | 0.576   | ND       | ND          | ND                | ND             |                    |
|                              |         |         |          |             |                   |                |                    |

UI Unidentified  
ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



DEA license: **RP0611043**  
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Quality Assurance Manager  
Fri, 16 Jan 2026 16:03:39 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2019 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.